



SPOTLIGHT



SPOT-S

2000.-

DIA 42 mm. H 96 mm.



220V 3W 130lm

30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

KYLER

2000.-

DIA 105 mm. H 185 mm.



220V 12W 950lm

30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



SPOTLIGHT



AMI-S MR11

1500.-

DIA 43 mm. H 105 mm.



MR11-GU10x1 Max. 50W
220V

IP 65

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

AMI-M

1350.-

DIA 90 mm. H 152 mm.



220V 5W 400lm
24° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



EMMA-S

1150.-

DIA 47 mm. H 84 mm.



220V 5W 435lm

24° 3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover

Accessories : Tree strap

EMMA-M

1750.-

DIA 60 mm. H 105 mm.



220V 12W 996lm

24° 3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover

Accessories : Tree strap



EMMA-L

2300.-

DIA 80 mm. H 135 mm.



220V 18W 1494lm

24° 3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover

Accessories : Tree strap

SPOTLIGHT





ALLEN-S

2250.-

DIA 63x109 mm. H 143 mm.



220V 10W 810lm

36° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

ALLEN-M

2850.-

DIA 80x180 mm. H 162 mm.



220V 15W 1215lm

36° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



ALLEN-L

3250.-

DIA 80x180 mm. H 162 mm.



220V 20W 1620lm

36° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

SPOTLIGHT



DOLO

2500.-

DIA 80x80 mm. H 58 mm.



220V 8W 588lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover

Accessories : Tree strap

KURTIS

1950.-

DIA 80x80 mm. H 70 mm.



220V 6W 480lm

55° 3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover

Accessories : Tree strap



SPOTLIGHT



KEELAN-S

3500.-

DIA 67 mm. H 175 mm.



220V 7W 588lm

23° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

KEELAN-M

4350.-

DIA 80 mm. H 205 mm.



220V 13W 1170lm

23° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



SPOTLIGHT



WINN-SB

1750.-

DIA 65 mm. H 185 mm.



220V 10W 905lm

30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

WINN-MB

2500.-

DIA 90 mm. H 215 mm.



220V 20W 1780lm

30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



WINN-SS

1750.-

DIA 65 mm. H 185 mm.



220V 10W 905lm

30° 3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover

WINN-MS

2500.-

DIA 90 mm. H 215 mm.



220V 20W 1780lm

30° 3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover




SPOTLIGHT



RYDER-GU10

1500.-

DIA 64 mm. H 138 mm.

 GU10x1 Max. 50W
220V

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

RYDER-S

1800.-

DIA 50 mm. H 125 mm.

 220V 5W 455lm
 30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



RYDER-M

2500.-

DIA 64 mm. H 138 mm.



220V 10W 905lm

30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

RYDER-L

3000.-

DIA 76 mm. H 185 mm.



220V 15W 1355lm

30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT

NEW



OVEN-S

2000.-

DIA 60 mm. H 152 mm.



220V 6W 522lm

30° 3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover

OVEN-M

3000.-

DIA 90 mm. H 152 mm.



220V 12W 1044lm

30° 3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover

NEW



SPOTLIGHT



KERRI-B 10W

1800.-

DIA 58 mm. H 95 mm.



220V 10W 750lm

24° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

KERRI-S 10W

1800.-

DIA 58 mm. H 95 mm.



220V 10W 750lm

24° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



SPOTLIGHT



RINN-B

3000.-

DIA: 79 mm. H: 110 mm.



220V 10W 680lm

38° 3000K

IP 65



White

LED Driver Included

Aluminium body

Clear glass cover

Accessories : Tree strap

RINN-S

3000.-

DIA: 79 mm. H: 110 mm.



220V 10W 680lm

38° 3000K

IP 65



White

LED Driver Included

Aluminium body

Clear glass cover



SPOTLIGHT



NEON-S

2350.-

DIA: 60 mm. H: 110 mm.



220V 10W 855lm

24° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

NEON-M

3450.-

DIA: 80 mm. H: 130 mm.



220V 20W 1635lm

24° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



SPOTLIGHT



NEON-L

3850.-

DIA: 100 mm. H: 150 mm.



220V 30W 2325lm

24° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

NEON-XL

5650.-

DIA: 120 mm. H: 190 mm.



220V 40W 3115lm

24° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



SPOTLIGHT



LITE-S 24V

1200.-

DIA: 20 mm. H: 60 mm.



24V 3W 225lm



3000K

IP 65



Black

Aluminium body

Clear glass cover

Accessories : Tree strap

LITE-M 24V

1500.-

DIA: 25 mm. H: 85 mm.



24V 6W 485lm



3000K

IP 65



Black

Aluminium body

Clear glass cover

Accessories : Tree strap



SPOTLIGHT

NEW



TRON-M 24V

2500.-

DIA 55 mm. H 123 mm.



24V 7W 565lm

24° 3000K

IP 65

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

TRON-L 24V

3000.-

DIA 65 mm. H 200.5 mm.



24V 12W 880lm

24° 3000K

IP 65

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

NEW



SPOTLIGHT



SHOKU-S 24V

3000.-

DIA: 50 mm. H: 85 mm.



24V 6W 420lm

40° 3000K

IP 66

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

SHOKU-M 24V

3500.-

DIA: 64 mm. H: 100 mm.



24V 12W 840lm

40° 3000K

IP 66

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SHOKU-L 24V

5000.-

DIA: 109 mm. H: 110 mm.



24V 20W 140lm

40° 3000K

IP 66

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

SPOTLIGHT



POLO-S

3000.-

DIA 65x65 mm. H 125 mm.



220V 8W 615lm

30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

POLO-M

4250.-

DIA 90x90 mm. H 145 mm.



220V 18W 1306lm

30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



PINTA-S

2750.-

DIA 66x72 mm. H 93 mm.



24Vdc 9W 639lm

15° 30° 45° 60°

IP 66

3000K, 4000K, 6000K

- Black/ Grey
- LED Driver Included
- Aluminium body
- Clear glass cover
- Use with switching power supply 24Vdc
- Accessories : Tree strap

PINTA-M

4750.-

DIA 114x116 mm. H 157 mm.



24Vdc 20W 1420lm

15° 30° 45° 60°

IP 66

3000K, 4000K, 6000K

- Black/ Grey
- LED Driver Included
- Aluminium body
- Clear glass cover
- Use with switching power supply 24Vdc
- Accessories : Tree strap



PINTA-L

6750.-

DIA 112x150 mm. H 208 mm.



24Vdc 36W 2556lm

15° 30° 45° 60°

IP 66

3000K, 4000K, 6000K

- Black/ Grey
- LED Driver Included
- Aluminium body
- Clear glass cover
- Use with switching power supply 24Vdc
- Accessories : Tree strap

SPOTLIGHT



COOPER-S

3800.-

DIA 91x91 mm. H 135 mm.



220V 10W 782lm

25° 3000K

IP 66

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

COOPER-M

7500.-

DIA 158x158 mm. H 212 mm.



220V 24W 2263lm

25° 3000K

IP 66

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT

NEW



DUOS-S

3500.-

DIA: 90×90 mm. H: 75 mm.



220V 9W 782lm

30° 3000K

IP 66

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

DUOS-M

5000.-

DIA: 120×120 mm. H: 84.5 mm.



220V 18W 1404lm

30° 3000K

IP 66

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

NEW



SPOTLIGHT



IDA

700.-

DIA 98 mm. H 93 mm.



GU10x1 Max. 50W
220V

IP 55

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

IVY

700.-

DIA 98 mm. H 128 mm.



GU10x1 Max. 50W
220V

IP 55

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



ALLEN-MR16

1850.-

DIA 63x109 mm. H 143 mm.



MR16x1 Max. 50W
12V/ 220V

IP 65

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

ALLEN-GU10

1850.-

DIA 63x109 mm. H 143 mm.



GU10x1 Max. 50W
220V

IP 65

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



MELO-B

1350.-

DIA 70 mm. H 125 mm.



GU10x1 Max. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

MELO-S

1350.-

DIA 70 mm. H 125 mm.



GU10x1 Max. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



KIRA

1350.-

DIA 73x73 mm. H 135 mm.



GU10x1 Max. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

SONIC

1650.-

DIA 65 mm. H 160 mm.



GU10x1 Max. 50W
220V

IP 65

- Black
- Aluminium body
- Clear glass cover



SPOTLIGHT



LACEY

1000.-

DIA 90 mm. H 150 mm.



GU10x1 Max. 50W
220V

IP 55

- Black
- Aluminium body
- Clear glass cover

LADA

1600.-

DIA 110 mm. H 185 mm.



E27 PAR20x1 Max. 50W
220V

IP 55

- Black
- Aluminium body
- Clear glass cover



SPOTLIGHT



KERRI-B-MR16

1100.-

DIA 58 mm. H 92 mm.



MR16 x1 Max. 50W
12V/ 220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap, Honeycomb

KERRI-B-GU10

1100.-

DIA 58 mm. H 92 mm.



GU10x1 Max. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap, Honeycomb



SPOTLIGHT



KERRI-S-MR16

1100.-

DIA 58 mm. H 92 mm.



MR16 x1 Max. 50W
12V/ 220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Honeycomb

KERRI-S-GU10

1100.-

DIA 58 mm. H 92 mm.



GU10x1 Max. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Honeycomb



SPOTLIGHT



CHERYL-B-MR16

1200.-

DIA 58 mm. H 175 mm.



MR16 x1 Max. 50W
12V/ 220V

IP 54



Black
Aluminium body
Clear glass cover
Accessories : Tree strap, Honeycomb

CHERYL-B-GU10

1200.-

DIA 58 mm. H 175 mm.



GU10x1 Max. 50W
220V

IP 54



Black
Aluminium body
Clear glass cover
Accessories : Tree strap, Honeycomb



SPOTLIGHT



CHERYL-S-MR16

1200.-

DIA 58 mm. H 175 mm.



MR16 x1 Max. 50W
12V/ 220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Honeycomb

CHERYL-S-GU10

1200.-

DIA 58 mm. H 175 mm.



GU10x1 Max. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Honeycomb



SPOTLIGHT



KERRI-BWH-GU10

1200.-

DIA 58 mm. H 92 mm.



GU10 x1 Max. 50W
220V

IP 54

- Sand white
Aluminium body
Clear glass cover
Accessories : Tree strap, Honeycomb

CHERLY-BWH-GU10

1300.-

DIA 58 mm. H 175 mm.



GU10x1 Max. 50W
220V

IP 54

- Sand white
Aluminium body
Clear glass cover
Accessories : Tree strap, Honeycomb



SPOTLIGHT



KERRI-SWH-GU10

1200.-

DIA 58 mm. H 92 mm.



GU10x1 Max. 50W
220V

IP 54

- Sand white
- Aluminium body
- Clear glass cover
- Accessories : Honeycomb

CHERYL-SWH-GU10

1300.-

DIA 58 mm. H 175 mm.



GU10x1 Max. 50W
220V

IP 54

- Sand white
- Aluminium body
- Clear glass cover
- Accessories : Honeycomb



SPOTLIGHT



ARGON

2000.-

DIA: 60 mm. H: 100 mm.



GU10x1 Max. 50W
220V

IP 65

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

GUNN

3000.-

DIA: 57.6 mm. H: 140 mm.



GU10x1 Max. 50W
220V

IP 65

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



ICON-MR16

600.-

DIA: 67 mm. H: 90 mm.



GU10x1 Max. 50W
220V

IP 65



Black
PC body
Clear glass cover
Anti glare (Honeycomb) included
Accessories : Tree strap

ICON-GU10

600.-

DIA: 67 mm. H: 90 mm.



GU10x1 Max. 50W
220V

IP 65



Black
PC body
Clear glass cover
Anti glare (Honeycomb) included
Accessories : Tree strap



IPRO 5W

1150.-

DIA: 55 mm. H: 70 mm.



220V 5W 350lm
60° 3000K

IP 65



Black
LED Driver Included
Aluminium body
Clear glass cover
Accessories : Tree strap



SPOTLIGHT


NEW



ADS GU10


2000.-

DIA : 60×93 mm. H : 300 mm

 GU10x1 Max. 50W
220V

IP 65



● Black
Aluminium body
Clear glass cover



GUNTER

2000.-

DIA: 105 mm. H : 62 mm.

 220V 15W 1155lm
 30° 3000K

IP 65

● Black
LED Driver Included
Aluminium body
Clear glass cover
Accessories : Tree strap

NEW



SPOTLIGHT

NEW



BREST GU10

1000.-

DIA 68 mm. H 115 mm.



GU10x1 Max. 50W
220V

IP 65



Black
Aluminium body
Clear glass cover

CIRCLE-24V

2000.-

DIA 60x245 mm. H 54 mm.



24V 12W 840lm
10x40°3000K

IP 65



Black/ Silver
Aluminium body

NEW



SPOTLIGHT

MANNY-MR16

1000.-

DIA 60 mm. H 85 mm. 115 mm. with anti glare



MR16 x1 Max. 50W
12V/ 220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Anti glare hodd included
- Accessories : Tree strap

MANNY-GU10

1000.-

DIA 60 mm. H 85 mm. 115 mm. with anti glare



GU10x1 Max. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Anti glare hodd included
- Accessories : Tree strap



SPOTLIGHT



TRAM-18

5000.-

DIA 43x50 mm. L 1000 mm.



24V 18x1W 1802lm

7° 25° 40° 10°x50°

IP 66



3000K/ 4000K/ 6000K

Grey

Use with switching power supply 24Vdc

Aluminium body

Clear glass cover

TRAM-36

6000.-

DIA 43x50 mm. L 1000 mm.



220V 36x1W 3587lm

7° 25° 40° 10°x50°

IP 66



3000K/ 4000K/ 6000K

Grey

Use with switching power supply 24Vdc

Aluminium body

Clear glass cover



WALL WASHER



10°x40°

FLEX

12000.-

DIA : 320 x 32 x 65 mm. (Per 3Modules)



LED 24V 15W (5W per module)

10°x40° 3000K

IP 54



Black
Aluminium body

FLOW

15000.-

DIA : 523 x 76 x 102 mm. (Per 3Modules)



LED 24V 18W (6W per module)

15°x45° 3000K

IP 66



Black
Aluminium body



15°x45°

FITT

12000.-

DIA : 1200 X Ø37.5 X 55 mm.




LED 24V 45W

20°x40° 3000K

IP 66



Black
Aluminium body



20°x40°

WALL WASHER

The background features a smooth color gradient from a pale yellow at the top to a deep green at the bottom. A subtle grid of thin, light-colored lines is overlaid on the entire background. In the lower right portion, there are several overlapping, semi-transparent diagonal bands in various shades of green, creating a layered effect.

OUTDOOR WALL LIGHT



YORK-R1

1150.-


DIA 90 mm. H 170 mm.



1x E27 MAX. LED 13W
220V

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



YORK-R2

1350.-


DIA 90 mm. H 280 mm.



2x E27 MAX. LED 13W
220V

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



YORK-S1

1150.-


DIA 90x90 mm. H 190 mm.



1x E27 MAX. LED 13W
220V

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



YORK-S2

1350.-


DIA 90x90 mm. H 280 mm.



2x E27 MAX. LED 13W
220V

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



ALYN-R1

1150.-


DIA 90 mm. H 133 mm.



1x GU10 MAX. 50W
220V

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



ALYN-R2

1350.-


DIA 90 mm. H 166 mm.



2x GU10 MAX. 50W
220V

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



ALYN-S1

1150.-


DIA 87x87 mm. H 130 mm.



1x GU10 MAX. 50W
220V

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



ALYN-S2

1350.-


DIA 87x87 mm. H 160 mm.



2x GU10 MAX. 50W
220V

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



WATT-S1

800.-


DIA 81x68 mm. D 92 mm.



1x GU10 MAX. 50W
220V

IP 54

- ● Black / Grey
- Aluminium body
- Clear glass cover



WATT-S2

1000.-


DIA 68x150 mm. D 92 mm.



2x GU10 MAX. 50W
220V

IP 54

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



WATT-R1

800.-


DIA 65x78 mm. D 95 mm.



1x GU10 MAX. 50W
220V

IP 54

- ● Black / Grey
- Aluminium body
- Clear glass cover



WATT-R2

1000.-


DIA 65x145 mm. D 95 mm.



2x GU10 MAX. 50W
220V

IP 54

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



WATT-S1-WH

800.-

DIA 81x68 mm. D 92 mm.



1x GU10 MAX. 50W
220V

IP 54



Sand white
Aluminium body
Clear glass cover

WATT-S2-WHO

1000.-

DIA 68x150 mm. D 92 mm.



2x GU10 MAX. 50W
220V

IP 54

Sand white
Aluminium body
Clear glass cover



WALL LIGHT



WATT-R1-WH

800.-

DIA 65x78 mm. D 95 mm.



1x GU10 MAX. 50W
220V

IP 54



Sand white
Aluminium body
Clear glass cover

WATT-R2-WH

1000.-

DIA 65x145 mm. D 95 mm.



2x GU10 MAX. 50W
220V

IP 54

Sand white
Aluminium body
Clear glass cover



WALL LIGHT



SINTA-R1

1200.-

DIA 95×100 mm. D: 75 mm.



1x GU10 MAX. 50W
220V

IP 65

Aluminium body
Stainless steel cover
Clear glass cover



SINTA-R2

1500.-

DIA 95×170 mm. D: 75 mm.



2x GU10 MAX. 50W
220V

IP 65

Aluminium body
Stainless steel cover
Clear glass cover



WALL LIGHT



MIND

1200.-


DIA 100 mm. H 90 mm.



1x GU10 MAX. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover



PACO

1000.-


DIA 95x65 mm. H 95 mm.



1x GU10 MAX. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover



WALL LIGHT



LOGG **1000.-**


DIA 80 mm. H 129 mm.



1x GU10 MAX. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover



MIRO **1500.-**


DIA 64 mm. H 180 mm.



1x GU10 MAX. 50W
220V

IP 65

- Black/ White
- Aluminium body
- Clear glass cover



WALL LIGHT



FENIX-S1

1500.-

DIA 100x150 mm. D 100 mm.




1x GU10 MAX. 50W
220V

IP 54

● Black

Aluminium body



FENIX-S2

1800.-

DIA 100x230 mm. D 1000 mm.




2x GU10 MAX. 50W
220V

IP 54

● Black

Aluminium body



WALL LIGHT



GLATO


2000.-

DIA 102x180 mm. D 92 mm.

 1x GU10 MAX. 50W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



GLENN


1350.-

DIA 68x140 mm. D 69 mm.

 1x GU10 MAX. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover





MAKI-R1

1150.-

DIA 90 mm. H 136 mm.



1x GU10 MAX. 50W
220V

IP 54

- Black
- Aluminium body
- PC diffuser

MAKI-R2

1650.-

DIA 90 mm. H 212 mm.



2x GU10 MAX. 50W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



MAKI-S1

1150.-

DIA 85×85 mm. H: 136 mm.



1x GU10 MAX. 50W
220V

IP 54



- Black
- Aluminium body
- PC diffuser

MAKI-S2

1650.-

DIA 85×85 mm. H 212 mm.



2x GU10 MAX. 50W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



RODIO

1200.-

DIA 60*170 mm. D 88 mm.



1x GU10 MAX. 50W
220V

IP 54

- Black
- Aluminium body
- Glass cover



LINA

2000.-


DIA 75x192 mm. D 97 mm.



LED 10W 650lm
● 3000K

IP 54

- Black
- Aluminium body
- Clear glass cover



WALL LIGHT



VEGA


2400.-

DIA 110x250 mm. D 103 mm.



1x E27 MAX. LED 13W
220V

IP 54



- ● Black / Grey
- Aluminium body
- PC diffuser

FOX

2400.-



DIA 100x250 mm. D 110 mm.



1x E27 MAX. LED 13W
220V

IP 54

- ● Black
- Aluminium body
- PC diffuser



WALL LIGHT



REXTON

1850.-


DIA 110x250 mm. D 103 mm.



1x E27 MAX. LED 13W
220V

IP 54

- ● Black / Grey
- Aluminium body
- PC diffuser



RENZO

1800.-


DIA 165x165 mm. D 171 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



ROMA

1650.-


DIA 145x275 mm. D 102 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



RAMSEY

1800.-


DIA 110x281 mm. D 84 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- Frosted glass diffuser



WALL LIGHT



ROCCO

1800.-


DIA 120x245 mm. D 80 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



RIO

1500.-


DIA 120x350 mm. D 120 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



RITA

1500.-


DIA 185x285 mm. D 100 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



RISTON

1500.-


DIA 185x280 mm. D 100 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



RANDI

1500.-

DIA 120x249 mm. H 135 mm.




1x E27 MAX. LED 13W
220V

IP 54



Black
Aluminium body
PC diffuser



DOLLY

1500.-

DIA 115x125 mm L 250 mm.




LED 12W 880lm

3000K

IP 65



Black
Aluminium body
PC diffuser



WALL LIGHT



JACEY-R

1800.-


DIA 275 mm. D 80 mm.



2x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



JACEY-S

1800.-


DIA 270x270 mm D 80 mm.




2x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



LEON-WR

1350.-

DIA 85x162 mm. D 120 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser

LEON-WS

1350.-

DIA 85x85x162 mm D 120 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



KELL

800.-



DIA 163x282 mm. D 109 mm.



1x E27 MAX. LED 13W
220V



- Black/ White
- PC body
- Frosted glass diffuser



NANA

1500.-


DIA 90x220 mm. D 80 mm.



1x E27 MAX. LED 13W
220V



- Black
- Aluminium body
- PC diffuser



WALL LIGHT



VICK

1800.-


W 110x280 mm. D 85 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



DOLLY

1500.-


DIA 115x125 mm L 260 mm.



LED 12W 880lm
● 3000K

IP 65

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



BEWEL

2000.-


DIA 160 mm. D 285 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



SERTO

3000.-


DIA 236 mm. D 435 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- Clear glass diffuser



WALL LIGHT



RAY

1500.-


DIA 200 mm. D 335 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body



BOB

1500.-


DIA 177 mm. D 255 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Iron body
- PC diffuser



WALL LIGHT



CAPSULE

800.-


DIA 95×210 mm. D 88 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- Clear glass diffuser



GRAM

2000.-


DIA 137×310 mm. D 215 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Iron body
- Clear glass diffuser



WALL LIGHT



DESS

2500.-


DIA 180×230 mm. D 225 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- Clear glass diffuser



WALLO

3000.-


DIA 160×245 mm. D 240 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



TRUNO

1800.-

DIA 125 mm. D 250 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser

CTUBE

1800.-

DIA 154x220 mm. D 170 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



OLON-W

2150.-


DIA 158×250 mm. D 175 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



BRICK-W

2500.-


DIA 145×145 mm. D 160 mm. H 250 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



CAGE

1800.-

DIA 170 mm. H 220 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- PC diffuser

CALOS

1800.-

DIA 122×230 mm. D 150 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Stainless steel body
- Clear glass diffuser



WALL LIGHT



DIOR

1800.-


DIA 170x322 mm. D 182 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
Iron body
Clear glass diffuser



BERLIN

3000.-

DIA 200 mm H 310 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
Aluminium body
Clear glass diffuser



WALL LIGHT



ELLI

1800.-

DIA 130x130 mm D 300 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
Aluminium body
Clear glass diffuser

LOFF

2000.-

DIA 120x120 mm D 270 mm.




1x E27 MAX. LED 13W
220V

IP 54

- Black
Aluminium body
Clear glass diffuser



WALL LIGHT



CARTER

2000.-

DIA 143x320 mm. D 186 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- Clear glass diffuser

NERO

3500.-

DIA 200 mm. H 330 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
- Aluminium body
- Water drops glass diffuser



WALL LIGHT



CAMEO

1800.-

DIA 120x220 mm. D 120 mm.




1x E27 MAX. LED 13W
220V

IP 54



- Black
Iron body
Clear glass diffuser



CAMEO-L

2000.-


DIA 140x260 mm. D 136 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
Iron body
Clear glass diffuser



WALL LIGHT



TOLL-R

2750.-

DIA 160x276 mm. D 215 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black/ White
Aluminium body
PC diffuser

TOLL-S

2750.-

DIA 145x145x276 mm. D 215 mm.



1x E27 MAX. LED 13W
220V

IP 54

- Black
Aluminium body
PC diffuser



WALL LIGHT

CATT

2750.-

DIA 90x90x200 mm. D 125 mm.



LED 9W 455lm

● 3000K

IP 54

- Black
Aluminium body
PC diffuser



BILLY-1

2200.-

DIA 60x100 mm. D 95mm.



LED 1x5W 325lm



3000K

IP 65



Black

LED Driver Included

Aluminium body



BILLY-2

2700.-

DIA 60x100 mm. D 95mm.



LED 2x5W 2x325lm



3000K

IP 65



Black

LED Driver Included

Aluminium body



WALL LIGHT



RONI-A

1800.-

W 120 mm. D 80 mm.



LED 2x3W 2x145lm



3000K

IP 65

- Matt black/ Matt white
LED Driver Included
Aluminium body



RONI-B

1800.-

DIA 120 mm. D 80 mm.



LED 2x3W 2x145lm



3000K

IP 65

- Matt black/ Matt white
LED Driver Included
Aluminium body



WALL LIGHT



MABEL-R2

2000.-

DIA 120x115 mm. D 90 mm.




LED 2x3W

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body



MABEL-R4

2250.-

DIA 120 mm. D 90 mm.





LED 4x1W

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body



WALL LIGHT



SCOTT **2150.-**

DIA 45x120 mm. D 145 mm.



LED 6W 268lm



3000K



IP 54



Black

LED Driver Included

Aluminium body



SAM **2000.-**

DIA 100x100 mm. D 100 mm.



LED 2x3W 430lm



3000K



IP 65



Black

LED Driver Included

Aluminium body



100



100

100

WALL LIGHT



TALA-S1

2000.-

W 30x60 mm. D 85 mm.



LED 1x3W 165lm

3000K


IP 65



Black

LED Driver Included

Aluminium body



TALA-S2

2400.-

DIA 60x30 mm. D 85 mm.



LED 2x1W 2x85lm

3000K



IP 65



Black

LED Driver Included

Aluminium body



WALL LIGHT



WEBB-G9

1200.-

DIA 90x95 mm. D 90 mm.




1x G9 MAX. 40W
220V

IP 54



- ● Black / Grey
- Aluminium body
- Clear glass cover



TAG-2S

3250.-

DIA 100x136 mm. D 56 mm.




LED 2x6W 2x270lm

● 3000K

IP 65

- ● Black / Grey
- LED Driver Included
- Aluminium body



WALL LIGHT



SAGA

2500.-

DIA 109x173 mm. D 63 mm.




LED 2x3W 270lm



3000K

IP 54

- ● Black / Grey
- LED Driver Included
- Aluminium body
- Clear glass cover



WEE

3000.-

DIA 44x125 mm. D 90 mm.




LED 2x3W 270lm



3000K

IP 54

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



WALL LIGHT



RAMON

3000.-

DIA 95x100 mm. D 60 mm.




LED 3x1W 368lm

3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



VERON

2000.-

DIA 65x88 mm. D 40 mm.




LED 1x3W 270lm

3000K

IP 54

- ● Black / Grey
- LED Driver Included
- Aluminium body
- Clear glass cover



WALL LIGHT

JANIS-R

2000.-


DIA 160 mm. D 100 mm.



LED 10W 560lm

3000K

IP 54



- Black
- LED Driver Included
- Aluminium body

JANIS-S

2000.-

DIA 160x160 mm. D 100 mm.




LED 10W 560lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body



WALL LIGHT



PIMM **3500.-**

DIA 180 mm. D 60 mm.




LED 12W 455lm

3000K



- Black
- Aluminium body



ZEAL **1500.-**

DIA 150x180 mm. D 83 mm.




LED 12W 880lm

3000K



- Black
- Aluminium body
- PC diffuser



WALL LIGHT



SENYA-1

2000.-

DIA 47x142 mm. D: 65 mm.



LED 4W 255lm

3000K

IP 65



- Black
- LED Driver Included
- Aluminium body

SENYA-2

2500.-

DIA 47x142 mm. D: 65 mm.



LED 8W 2x255lm

3000K

IP 65

- Black
- LED Driver Included
- Aluminium body



WALL LIGHT



BOLA

3000.-

DIA 75×185 mm. D: 90 mm.



LED 2x5W 2x275lm



3000K

IP 54



- Black
- LED Driver Included
- Aluminium body

RETTA

3000.-

DIA 90×220 mm. D: 123 mm.



LED 10W 585lm



3000K

IP 65

- Black
- LED Driver Included
- Aluminium body



WALL LIGHT



LALINA

2000.-

DIA 123x130 mm. D 70 mm.



LED 2x5W 2x350lm

3000K

IP 65



- Black
- LED Driver Included
- Aluminium body
- Adjustable angle

RIVA

2000.-

DIA 100x240 mm. D 155 mm.




LED 6W 600lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body



WALL LIGHT



EVA **2000.-**

DIA 80x105 mm. D 100 mm.




LED 5W 400lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body



KENNA **2500.-**

DIA 90x220 mm. D 80 mm.




LED 6W 375lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body



WALL LIGHT



ELLY-1

2000.-

DIA 68x100 mm. D 78 mm.




LED 6W 490lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



ELLY-2

3500.-

DIA 68x160 mm. D 78 mm.




LED 2x6W 2x490lm



3000K

IP 54

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



WALL LIGHT



PRIVE

1800.-

DIA 190 mm. D 82.5 mm.



LED 10W 499lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover

GRACE

2750.-

DIA 145x240 mm. D 100 mm.




LED 12W 1080lm

3000K

IP 54



- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



WALL LIGHT



ADS GU10 2000.-


DIA 60×93 mm. H 300 mm



1x GU10 MAX. 50W
220VO

IP 65

- Black
- Aluminium body
- Clear glass cover



RUBY 2000.-


DIA 91 mm. D 780 mm.




1x GU10 MAX. 50W
220V

IP 65

- Black
- Aluminium body
- Clear glass cover



WALL LIGHT



GALLY-R

1000.-

DIA 110 mm. D 26 mm.



LED 2W 120lm

3000K

IP 54

- Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body

GALLY-S

1000.-

DIA 100x100 mm. D 26 mm.



LED 2W 120lm

3000K

IP 54

- Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body



GALLY-SL

1200.-

DIA 60x150 mm. D 28 mm.



LED 3W 185lm

3000K

IP 54

- Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body

WALL LIGHT





STEP-R

1500.-

DIA 110 mm. D 25 mm.



LED 4W 160lm



3000K

IP 54



Surface mounted type

Black

LED Driver Included

Aluminium body

STEP-S

1500.-

DIA 105x105 mm. D 24 mm.



LED 4W 160lm



3000K

IP 54



Surface mounted type

Black

LED Driver Included

Aluminium body



WALL LIGHT



MONA-R

1200.-

DIA 95 mm. D 18 mm.



LED 3W 225lm



3000K

IP 65

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body

MONA-S

1200.-

DIA 90x90 mm. D 18 mm.



LED 3W 225lm



3000K

IP 65

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



WALL LIGHT



HANA-A

1200.-

DIA 125x125 mm. D 27 mm.



LED 3W 250lm



3000K

IP 54



Surface mounted type

Dark grey

LED Driver Included

ABS body

HANA-B

1200.-

DIA 125x125 mm. D 27 mm.



LED 1.5W 145lm



3000K

IP 54



Surface mounted type

Dark grey

LED Driver Included

ABS body



WALL LIGHT



HANA-C

1200.-

DIA 80x230 mm. D 27 mm.



LED 1W 85lm



3000K

IP 54



Surface mounted type

Dark grey

LED Driver Included

ABS body

HANA-D

1800.-

DIA 230x80 mm. D 27 mm.



LED 3W 180lm



3000K

IP 54



Surface mounted type

Dark grey

LED Driver Included

ABS body



WALL LIGHT

The background features a vertical gradient from light yellow at the top to dark green at the bottom. A faint grid of thin lines is overlaid on this gradient. In the lower half, several diagonal bands of varying shades of green cut across the grid from the bottom-left towards the top-right.

BOLLARD LIGHT

DALLTON-S

2000.-

DIA 105x105 mm. H 195 mm.



LED 6W 490lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

DALLTON-M

4400.-

DIA 105x105 mm. H 600 mm.



LED 10W 890lm



3000K

IP 65



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT

DALLTON-RS

2000.-

DIA 90 mm. H 200 mm.



LED 6W 490lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

DALLTON-RL

4400.-

DIA 108 mm. H 600 mm.



LED 10W 955lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



DALLTON-RM

4000.-

DIA 90 mm. H 650 mm.



LED 6W 550lm



3000K

IP 54

- Black
LED Driver Included
Aluminium body

DALLTON-L

4400.-

DIA 85x85 mm. H 650 mm.



LED 10W 605lm



3000K

IP 65

- Black
LED Driver Included
Aluminium body



BOLLARD LIGHT



DAVE

4950.-

DIA 80x120 mm. H 650 mm.



LED 6W 267lm



3000K

IP 54



Black

LED Driver Included
Aluminium body

MANCO

4400.-

DIA 71x131 mm. H 650 mm.



LED 3x3W 645lm



3000K

IP 54



Black

LED Driver Included
Aluminium body



BOLLARD LIGHT



LOOP

5000.-

DIA 53x160 mm. H 600 mm.



LED 10W 740lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

LAREN

4500.-

DIA 45x120 mm. H 650 mm.

LED 7W 290lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



ROBBY

5350.-

DIA 80x120 mm. H 650 mm.



LED 10W 515lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

HELEN

5150.-

DIA 55x160 mm. H 600 mm.



LED 6W 465lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



ESTER

4950.-

DIA 120x120 mm. H 600 mm.



LED 10W 655lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

DILAN

6000.-

DIA 118 mm. H 800 mm.



LED 10W 626lm



3000K

IP 65



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



STAND-1

4500.-

DIA 100x135 mm. H 650 mm.



LED 7W 560lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

STAND-2

5500.-

DIA 100x235 mm. H 650 mm.



LED 2x7W 1120lm



3000K

IP 65



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



KORO-S

3950.-

DIA 180x180 mm. H 275 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

KORO-M

5500.-

DIA 180x180 mm. H 800 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



RAPPER-S

3500.-

DIA 180x180 mm. H 275 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

RAPPER-M

5000.-

DIA 180x180 mm. H 800 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



MAY

5000.-

DIA 55x160 mm. H 600 mm.



LED 7W 620lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

JIRO

5150.-

DIA 80x120 mm. H 650 mm.



LED 10W 755lm



3000K

IP 65



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



MONO

5000.-

DIA 45x100 mm. H 750 mm.



LED 12W 640lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

GIGA

3500.-

DIA 70x150 mm. H 800 mm.



1x GU10 Max. 50W

IP 54




Black

Aluminium body

PC Diffuser



BOLLARD LIGHT



JEDI

4500.-

DIA 95x150 mm. H 700 mm.



LED 12W 470lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

MARON

5200.-

DIA 120 mm. H 600 mm.



LED 12W 455lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



HOME-S

2500.-

DIA 178 mm. H 510 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

HOME-M

2750.-

DIA 178 mm. H 790 mm.



LED 12W 936lm



3000K


IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



FLAME-S

2500.-

DIA 240 mm. H 520 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

Driver included

FLAME-M

2750.-

DIA 240 mm. H 780 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

Driver included



BOLLARD LIGHT



MARCA

5000.-

DIA 120 mm. H 630 mm.



LED 7.2W 626lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

DONE

3500.-

DIA 65x390 mm. H 800 mm.



1x E27 Max. 60W

IP 54



Black

Aluminium body

PC Diffuser



BOLLARD LIGHT



CHER

3500.-

DIA 30 mm. H 600 mm.



LED 7W 495lm



3000K

IP 54



Black
LED Driver Included
Aluminium body

RONAN

3500.-

DIA 50 mm. H 500 mm.



LED 3W 245lm



3000K

IP 65



Black/ Silver
Aluminium body



BOLLARD LIGHT



ARDEN-R

4150.-

DIA 90 mm. H 650 mm.



LED 9W 455lm



3000K

IP 65

- Black
- Aluminium body
- PC Diffuser
- Driver included

ARDEN-S

4150.-

DIA 85x85 mm. H 650 mm.



LED 9W 455lm



3000K

IP 65

- Black
- Aluminium body
- PC Diffuser
- Driver included



BOLLARD LIGHT



CURVE

4000.-

DIA 120 mm. H 650 mm.



LED 10W 348lm



3000K

IP 65



Black

LED Driver Included
Aluminium body

PRAYA

5000.-

DIA 146 mm. H 600 mm.



LED 8W 780lm



3000K

IP 65



Black

Aluminium body
PC Diffuser



BOLLARD LIGHT



TON

5000.-

DIA 160 mm. H 650 mm.



LED 10W 447lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

ELVA

4000.-

DIA 120 mm. H 1200 mm.



LED 20W 2249lm



3000K

IP 65



Black

Aluminium body

PC Diffuser

Driver included



BOLLARD LIGHT



MELVIN 4000.-

DIA 108 mm. H 600 mm.



LED 7W 565lm



3000K



- Black
- Aluminium body
- Glass Diffuser
- Driver included

SILVA 4500.-

DIA 40x90 mm. H 600 mm.



LED 7W 585lm



3000K



- Black/ Silver
- Aluminium body
- Glass Diffuser
- Driver included



BOLLARD LIGHT



CENT

4000.-

DIA 201 mm. H 600 mm.



LED 12W 548lm



3000K

IP 65

- Black
Aluminium body
PC Diffuser
Driver included

PIPER

4500.-

DIA 201 mm. H 800 mm.



LED 12W 548lm



3000K

IP 65

- Black
Aluminium body
PC Diffuser
Driver included



BOLLARD LIGHT



ELLA

4000.-

DIA 160 mm. H 600 mm.



LED 10W 788lm



3000K

IP 65

- Black
- LED Driver Included
- Aluminium body

DEWTON

5000.-

DIA 150 mm. H 800 mm.



LED 10W 658lm



3000K

IP 54

- Black
- Aluminium body
- PC Diffuser



BOLLARD LIGHT



LUMARING-S 9000.-

DIA 400 mm. H 455 mm.



LED 15W 955lm



3000K



- Black
Aluminium body
PC Diffuser
Driver included

LUMARING-M 11500.-

DIA 600 mm. H 655 mm.



LED 25W 1431lm



3000K



- Black
Aluminium body
PC Diffuser
Driver included



LUMARING-L 15000.-

DIA 800 mm. H 855 mm.



LED 30W 1710lm



3000K



- Black
Aluminium body
PC Diffuser
Driver included

BOLLARD LIGHT



MOTO

2000.-

DIA 160x160 mm. H 190 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

DAYSON

5000.-

DIA 140 mm. H 600 mm.



LED 7.2W 780lm



3000K

IP 65

- Black
LED Driver Included
Aluminium body



BOLLARD LIGHT



DELTA

4800.-

DIA 130x130 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser

DEEGAN

4400.-

DIA 140 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser



BOLLARD LIGHT



DECON

4800.-

DIA 130x130 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

DELCO

4400.-

DIA 140 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



DAGON-S

2500.-

DIA 100x100 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

DAGON-R

2500.-

DIA 110 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



CARLA-FS

4000.-

DIA 145x145 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser

CARLA-FR

4000.-

DIA 160 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser



BOLLARD LIGHT



MIGA

4950.-

DIA 120 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

POLY-S

3500.-

DIA 120 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



LEON-R

1800.-

DIA 85 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

LEON-S

1800.-

DIA 85x85 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



CONE

4000.-

DIA 158 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

LISA

3000.-

DIA 120x150 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



LEON-XR

1500.-

DIA 85 mm. H 300 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

LEON-XS

1500.-

DIA 85x85 mm. H 300 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



ZELL-R

4000.-

DIA 160 mm. H 500 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

ZELL-S

4000.-

DIA 145x145 mm. H 500 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT

NEW



OLON-B

4000.-

DIA 160 mm. H 500 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser

BRICK-B

4500.-

DIA 150x150 mm. H 500 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser

NEW



BOLLARD LIGHT



CYLIN-60

4500.-

DIA 160 mm. H 630 mm.



1x E27 Max. 60W

IP 65

- Black
Aluminium body
PC Diffuser

CYLIN-100

5500.-

DIA 160 mm. H 995 mm.



1x E27 Max. 60W

IP 65

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



KENO-R

3250.-

DIA 108 mm. H 800 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

KENO-S

3250.-

DIA 108x108 mm. H 800 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



NAVO

3000.-

DIA 140x165 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

VITO

3000.-

DIA 160x250 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



HELIO

4000.-

DIA 90x145 mm. H 800 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

CALOS-B

4000.-

DIA 122x154 mm. H 500 mm.



1x E27 Max. 60W

IP 54

- Black
Stainless steel body
PC Diffuser



BOLLARD LIGHT

NEW



ROSS

3500.-

DIA 95 mm. H 500 mm.



1x E27 Max. 60W

IP 54

- Black
Stainless steel body
PC Diffuser

BEVEL

4000.-

DIA 160 mm. H 800 mm.



1x E27 Max. 60W

IP 54

- Black
Stainless steel body
PC Diffuser



NEW

BOLLARD LIGHT



DALLTON-RGX

3500.-

DIA 108 mm. H 500 mm.



1xGX53 Max. 60W

IP 54

- Black
Aluminium body
Glass Diffuser

DALLTON-SGX

3500.-

DIA 108x108 mm. H 500 mm.



1x GX53 Max. 60W

IP 54

- Black
Aluminium body
Glass Diffuser



BOLLARD LIGHT



TOREY

4000.-

DIA 105 mm. H 600 mm.



1xGU10 Max. 50W

IP 65

- Black
- Aluminium body
- Glass Diffuser

MOLLY

4000.-

DIA 106x106 mm. H 600 mm.



1x GU10 Max. 50W

IP 65

- Black
- Aluminium body
- Glass Diffuser



BOLLARD LIGHT



RUNO

3500.-

DIA 80 mm. H 650 mm.



1xGU10 Max. 50W

IP 54

- Black
Aluminium body
Glass Diffuser

PIVOT

7000.-

DIA 85 mm. H 805 mm.



2x GU10 Max. 50W

IP 65

- Black
Aluminium body
Glass Diffuser



BOLLARD LIGHT



CUBIK-S

2000.-

DIA 125x125 mm. H 165 mm.



1x E27 Max. 60W

IP 65

- Black
Aluminium body
PC Diffuser

CUBIK-M

3000.-

DIA 125x125 mm. H 600 mm.



1x E27 Max. 60W

IP 65

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT

CUBIK-L

4800.-

DIA 125x125 mm. H 1000 mm.



1x E27 Max. 60W

IP 65

- Black
Aluminium body
PC Diffuser



DEVIN-S

2100.-

DIA 160x160 mm. H 190 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

DEVIN-M

2800.-

DIA 220x220 mm. H 270 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



CARLA-S

2200.-

DIA 145x145 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

CARLA-R

2200.-

DIA 160 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



SAMMY-S

2500.-

DIA 170x170 mm. H 210 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

SAMMY-M

3000.-

DIA 227x227 mm. H 255 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



RINA-R

3000.-

DIA 150 mm. H 140 mm.



LED 7W 392lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

RINA-S

3000.-

DIA 156x156 mm. H 140 mm.



LED 7W 392lm



3000K


IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



LORA

2150.-

DIA 194x194 mm. H 265 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

GAMMA

1500.-

DIA 120x120 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser





NORTON-R

2600.-

DIA 160 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser

NORTON-S

2600.-

DIA 145x145 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser



BOLLARD LIGHT



TINA-R

1500.-

DIA 160 mm. H 130 mm.



LED15W 1050lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

TINA-S

1500.-

DIA 155x155 mm. H 150 mm.



LED15W 1050lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



PARRY

2800.-

DIA 130 mm. H 170 mm.



LED 12W 570lm



3000K

IP 65



Black
LED Driver Included
Aluminium body

JAY

3500.-

DIA 70x120 mm. H 300 mm.



LED 7W 520lm



3000K

IP 54



Black
LED Driver Included
Aluminium body



BOLLARD LIGHT



DERBY

3950.-

DIA 215 mm. H 240 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

BOSTON

3000.-

DIA 145x145 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT

NEW



NOAH

3000.-

DIA 150x150 mm. H 175 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

SIENA

3500.-

DIA 150x150 mm. H 300 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

NEW



BOLLARD LIGHT



SOCO

2150.-

DIA 180 mm. H 58 mm.



LED 10W 550lm



3000K

IP 65



Black

LED Driver Included
Aluminium body

ROOM

3500.-

DIA 40 mm. H 100 mm.



LED 6.5W 380lm



3000K

IP 65



Black

LED Driver Included
Aluminium body



BOLLARD LIGHT



DALLTON-RXL

8000.-

DIA 120 mm. H 2200 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

DALLTON-SXL

8000.-

DIA 120x120 mm. H 2200 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



ZINO-R

22500.-

DIA 160 mm. H 3000 mm.



LED 25W 2025lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

J-bolt included

RANCE

21000.-

DIA 160 mm. H 3000 mm.



3x T8 Max. 100W

IP 65



Black

Aluminium body

PC Diffuser

J-bolt included



BOLLARD LIGHT



SEVEN

27500.-

DIA 80x120x800 mm. H 3000 mm.



LED 30W 2717lm



3000K

IP 65



Black
LED Driver Included
Aluminium body
J-bolt included

STAR

18500.-

DIA 365 mm. H 2500 mm.



LED 30W 2087lm



3000K

IP 65



Black
Aluminium body
PC Diffuser
J-bolt included



BOLLARD LIGHT

The background features a vertical gradient from light yellow at the top to dark green at the bottom. A faint grid of thin lines is overlaid on this gradient. In the lower half, there are several overlapping, semi-transparent diagonal bands of varying shades of green, creating a layered, landscape-like effect.

INGROUND LIGHT



ING-R

1800.-

DIA 42 mm. H 63 mm.




CREE CHIP LED 3W 115lm



3000K



- Aluminium Cover
- Recess Housing Included
- LED Driver 700mA Included
- Dimmable (0-10V/ Triac) Optional



ING-S

1800.-

DIA 42x42 mm. H 63 mm.




CREE CHIP LED 3W 115lm



3000K



- Aluminium Cover
- Recess Housing Included
- LED Driver 700mA Included
- Dimmable (0-10V/ Triac) Optional





MUSH-R1

1800.-

DIA 58.5 mm. H 58 mm.



CREE CHIP LED 3W 115lm

1-WAY LIGHT ● 3000K 24Vdc


IP 67



Aluminium Cover

Recess Housing Included

Dimmable (0-10V/ Triac) Optional



MUSH-R2

1800.-

DIA 58.5 mm. H 58 mm.



CREE CHIP LED 3W 115lm

2-WAY LIGHT ● 3000K 24Vdc


IP 67



Aluminium Cover

Recess Housing Included

Dimmable (0-10V/ Triac) Optional



MUSH-R4

1800.-

DIA 58.5 mm. H 58 mm.



CREE CHIP LED 3W 115lm

4-WAY LIGHT ● 3000K 24Vdc


IP 67



Aluminium Cover

Recess Housing Included

Dimmable (0-10V/ Triac) Optional



INGROUND LIGHT



ING-30

1500.-

DIA 30 mm. H 29 mm.




CREE CHIP LED 1.5W 95lm



3000K 24Vdc

IP 65

- Stainless SUS 316 Cover
- Recess Housing Included
- Dimmable (0-10V/ Triac) Optional



ING-50

2000.-

DIA 50 mm. H 40 mm.




CREE CHIP LED 3W 115lm



3000K 24Vdc

IP 67

- Stainless SUS 316 Cover
- Recess Housing Included
- Dimmable (0-10V/ Triac) Optional



INGROUND LIGHT



ING-95

3800.-

DIA 95 mm. H 135 mm.



CREE CHIP LED 10W 912lm


23°



3000K 24Vdc

IP 67

- Stainless SUS 316 Cover
- Recess Housing Included
- Dimmable (0-10V/ Triac) Optional



ING-120

5050.-

DIA 120 mm. H 145 mm.



CREE CHIP LED 15W 1320lm


23°



3000K 24Vdc

IP 67

- Stainless SUS 316 Cover
- Recess Housing Included
- Dimmable (0-10V/ Triac) Optional



INGROUND LIGHT



ING-SRGB

2950.-

DIA 50 mm. H 80 mm.



EDISON LED 3W 130lm


40°



RGB 24Vdc

IP 67

- Stainless SUS 316 Cover
- Recess Housing Included
- Use with RGB Controller



ING-CWW

3500.-

DIA 120 mm. H 94 mm.



CREE CHIP LED 3x2W 320lm


30°



3000K 24Vdc

IP 67

- Stainless SUS 316 Cover
- Recess Housing Included
- Dimmable (0-10V/ Triac) Optional



ING-CRGB

5750.-

DIA 58.5 mm. H 58 mm.



EDISON LED RGB 3x3W 295lm


40°



RGB 24Vdc

IP 67

- Stainless SUS 316 Cover
- Recess Housing Included
- Use with RGB Controller



www.speclight.co.th

INGROUND LIGHT



ING-32

2200.-

DIA 32 mm. H 41.5 mm.



CREE CHIP LED 1W 75lm





3000K 24Vdc

IP 67



- Stainless SUS 304 Cover
- Recess Housing Included
- Honeycomb included
- Dimmable (0-10V/ Triac) Optional



ING-62

2200.-

DIA 62 mm. H 42.5 mm.




OSRAM CHIP LED 3W 115lm



3000K 24Vdc

IP 67

- Aluminium 6063 Cover
- Recess Housing Included
- Honeycomb included
- Dimmable (0-10V/ Triac) Optional



INGROUND LIGHT

ING-78

2500.-

DIA 78 mm. H 55 mm.





CREE CHIP LED 6W 475lm



3000K 24Vdc



- Aluminium 6063 Cover
- Recess Housing Included
- Honeycomb included
- Dimmable (0-10V/ Triac) Optional



ING-92

3000.-

DIA 78 mm. H 75 mm.





OSRAM CHIP LED 9W 735lm



3000K 24Vdc



- Aluminium 6063 Cover
- Recess Housing Included
- Honeycomb included
- Dimmable (0-10V/ Triac) Optional



INGROUND LIGHT



ING-RMR

1500.-



DIA 100 mm. H 105 mm.



1x MR16 MAX. 50W

IP 67

- Stainless SUS 304 Cover
Recess Housing Included



ING-RGU

1500.-



DIA 100 mm. H 105 mm.



1x GU10 MAX. 50W

IP 67

- Stainless SUS 304 Cover
Recess Housing Included





ING-SMR

1500.-


DIA 100x100 mm. H 105 mm.



1x MR16 MAX. 50W

IP 67

- Stainless SUS 304 Cover
Recess Housing Included



ING-SGU

1500.-


DIA 100x100 mm. H 105 mm.



1x GU10 MAX. 50W

IP 67

- Stainless SUS 304 Cover
Recess Housing Included



INGROUND LIGHT

ING-ADJ

2500.-

DIA 110 mm. H 147 mm.





1x GU10 MAX. 50W

IP 67

ADJUSTABLE



Stainless SUS 304 Cover
Recess Housing Included



ING-GX53

2000.-

DIA 120 mm. H 70 mm.





1x GX53 MAX. 50W

IP 67



Stainless SUS 304 Cover
Recess Housing Included



INGROUND LIGHT

NEW



SEGA-R1

2250.-

DIA 67.5 mm. H 94 mm.



LED 3W 65lm



3000K

IP 65

- Aluminium body
- Recess Housing Included
- Non-dim
- Driver included

SEGA-R2

2250.-

DIA 67.5 mm. H 94 mm.



LED 3W 65lm



3000K

IP 65

- Aluminium body
- Recess Housing Included
- Non-dim
- Driver included

NEW



INGROUND LIGHT



COBI-R1

2350.-

DIA 85 mm. H 105 mm.



LED 3W 65lm



3000K

IP 65

- Aluminium body
- Recess Housing Included
- Non-dim
- Driver included

COBI-R2

2350.-

DIA 85 mm. H 105 mm.



LED 3W 65lm



3000K

IP 65

- Aluminium body
- Recess Housing Included
- Non-dim
- Driver included



INGROUND LIGHT



SNAP-S

1750.-

DIA: 80×125 mm. H: 55 mm.



LED 6W 485m



3000K

IP 65

- Aluminium bofy
- Non-dim
- Driver included

SNAP-M

4000.-

DIA: 100×178 mm. H: 65 mm.



LED 18W 1309lm



3000K

IP 65

- Aluminium bofy
- Non-dim
- Driver included



INGROUND LIGHT



STEP LIGHT



REEN

1000.-

DIA 85x85 mm. D 53 mm.



LED 2W 200lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

HASSEL

2000.-

DIA 50x130 mm. D 60 mm.



LED 5W 350lm



3000K

IP 65

- Recessed type
- Sand Black, Sand Grey
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-OA

1200.-

DIA 110x110 mm. D 100 mm.



G4x1 Max. 50W
Sand black

IP 55



Recessed type
Sand Black
Frosted glass cover
Aluminium body
Box installation included

STEP-OB

1200.-

DIA 110x110 mm. D 102 mm.



G4x1 Max. 50W
Sand black

IP 55



Recessed type
Sand Black
Aluminium body
Box installation included



STEP-OC

1200.-

DIA 110x110 mm. D 102 mm.



G4x1 Max. 50W
Sand black


IP 55



Recessed type
Black
Aluminium body
Box installation included



STEP LIGHT



GALLY-R

1000.-

DIA 110 mm. D 26 mm.



LED 2W 120lm



3000K

IP 54

- Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body

GALLY-S

1000.-

DIA 100x100 mm. D 26 mm.



LED 2W 120lm



3000K

IP 54

- Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body



STEP LIGHT



GALLY-SL

1200.-

DIA 60x150 mm. D 28 mm.




LED 3W 185lm



3000K

IP 54

- Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body



STEP-R

1500.-

DIA 110 mm. D 25 mm.



LED 4W 160lm



3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body

STEP-S

1500.-

DIA 105x105 mm. D 24 mm.



LED 4W 160lm



3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



STEP LIGHT



MONA-R

1200.-

DIA 95 mm. D 18 mm.



LED 3W 225lm



3000K

IP 65

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body

MONA-S

1200.-

DIA 90x90 mm. D 18 mm.



LED 3W 225lm



3000K

IP 65

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



STEP LIGHT



HANA-A

1200.-

DIA 125x125 mm. D 27 mm.



LED 3W 250lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body

HANA-B

1200.-

DIA 125x125 mm. D 27 mm.



LED 1.5W 145lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body



STEP LIGHT



HANA-C

1200.-

DIA 80x230 mm. D 27 mm.



LED 1W 85lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body

HANA-D

1800.-

DIA 230x80 mm. D 27 mm.



LED 3W 180lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body



STEP LIGHT



STEP-OD

1500.-

DIA 86 mm. D 55 mm.



LED 3W 190lm



3000K

IP 54

- Recessed type
Sand Black/ Sand White
LED Driver Included
Aluminium body
Box installation included

STEP-OE

1500.-

DIA 87x87 mm. D 55 mm.



LED 3W 190lm



3000K

IP 54

- Recessed type
Sand Black/ Sand White
LED Driver Included
Aluminium body
Box installation included



STEP-OF

1500.-

DIA 87x87 mm. D 55 mm.



LED 3W 190lm




3000K

IP 54

- Recessed type
Sand Black/ Sand White
LED Driver Included
Aluminium body
Box installation included



STEP LIGHT



STEP-OM

1000.-

DIA 65 mm. D 50 mm.



LED 3W 115lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-ON

1000.-

DIA 65 mm. D 50 mm.



LED 3W 185lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



ROTTY-R

1050.-

DIA 80 mm. D 50 mm.



LED 3W 200lm



3000K

IP 54

- Recessed type
- Sand Black/ Sand Grey
- LED Driver Included
- Aluminium body
- Box installation included

ROTTY-S

1050.-

DIA 90x90 mm. D 55 mm.



LED 2W 135lm



3000K

IP 65

- Recessed type
- Sand Black/ Sand Grey
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



SHAY

1200.-

DIA 44x100 mm. D 44 mm.



LED 2W 175lm

3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-OJ

1000.-

DIA 60x105 mm. D 55 mm.



LED 3W 200lm

3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-OK

1500.-

DIA 72x147 mm. D 55 mm.



LED 3W 200lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-OL

1500.-

DIA 75x170 mm. D 53 mm.



LED 5W 370lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-OS

2000.-

DIA 160x160 mm. D 63 mm.



LED 7W 475lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-OT

1200.-

DIA 80x120 mm. D 50 mm.



LED 3W 200lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included





JENNY

2000.-

DIA 115x115 mm. D 60 mm.



LED 2x2W 200lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



LINA

2000.-

DIA 75x192 mm. H 97 mm.




LED 5W 350lm



3000K

IP 54

- Surface mounted type
- Sand Black
- LED Driver Included
- Aluminium body



STEP LIGHT



GLATO

2000.-


DIA 102x180 mm. D 92 mm.



1x GU10 MAX. 50W

IP 54

- Surface mounted type
- Sand Black
- Aluminium body
- PC diffuser



GLENN

1350.-


DIA 68x140 mm. D 69 mm.



1x GU10 MAX. 50W

IP 54

- Surface mounted type
- Sand Black
- Aluminium body
- Clear glass cover



STEP LIGHT



STEP-OP

1500.-

DIA 80 mm. D 50 mm.



LED 3W 160lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-OP

1000.-

DIA 65x65 mm. D 70 mm.



LED 3W 145lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT

ARINA-A

2000.-

DIA 82x192 D 94 mm.



LED 10W 650lm

3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

ARINA-B

2000.-

DIA 82x192 mm. D 101 mm.




LED 10W 650lm

3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-LV1

1200.-

DIA: 110×110 mm. H : 65 mm.



LED 3W 225lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-LV2

1000.-

DIA: 60×100 mm. H : 50 mm.



LED 3W 225lm




3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-LV3

1200.-

DIA: 82 mm. H : 50 mm.



LED 3W 225lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-LV4

1200.-

DIA: 70×170 mm. H : 50 mm.




LED 5W 355lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-LV5

1200.-

DIA: 100×162 mm. H : 56 mm.



LED 5W 355lm

3000K

IP 65



- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-LV6

1500.-

DIA: 210×65 mm. H : 60 mm.




LED 5W 355lm

3000K


IP 65



- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-LV7

1000.-

DIA: 82 mm. H : 65 mm.



LED 3W 225lm

3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP-FR

1000.-

DIA: 86 mm. H: 45 mm.



LED COB 3W 225lm




3000K

Matt white/ Matt black

IP 65

- Recessed type
- Aluminium cover
- Driver included
- Non-Dim



STEP-FS

1000.-

DIA 86x86 mm. H 50 mm.



LED COB 3W 225lm



3000K

Matt white/ Matt black

IP 65

- Recessed type
- Aluminium cover
- Driver included
- Non-Dim



STEP LIGHT



STEP-OH

1200.-

DIA: 70 mm. H : 65 mm.



LED 3W 215lm

3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP-OW

1200.-

DIA: 70×70 mm. H : 65 mm.



LED 3W 215lm

3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-OG

1500.-

DIA : 90×90 mm. H: 71 mm.



LED 1W 90lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP-OZ

1200.-

DIA: 65×65 mm. H : 60 mm.



LED 3W 215lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT

The background features a smooth color gradient from a pale yellow at the top to a deep green at the bottom. A subtle grid of thin, light-colored lines is overlaid on the entire background. The text is centered horizontally and positioned in the upper-middle section of the page.

OUTDOOR DOWNLIGHT

LINDA-R

1500.-

DIA 90 mm. H 95 mm.



GU10x1 Max.50W
Sand black/ Sand white

IP 65



Fixed
Aluminium Body
Frosted glass cover

LINDA-S

1500.-

DIA 90x90 mm. H 95 mm.



GU10x1 Max.50W
Sand black/ Sand white

IP 65



Fixed
Aluminium Body
Frosted glass cover



DOWNLIGHT



JADEN-R

1500.-

DIA 90 mm. H 120 mm.



GU10x1 Max.50W
Sand black

IP 54



Fixed
Aluminium Body
Clear glass cover

JADEN-S

1500.-

DIA 90x90 mm. H 125 mm.



GU10x1 Max.50W
Sand black

IP 54



Fixed
Aluminium Body
Clear glass cover



DOWNLIGHT



HUGO-R

1800.-

DIA 110 mm. H 160 mm.



E27x1 Max. 60W
Sand black

IP 54



Fixed
Aluminium Body
Clear glass cover

HUGO-S

1800.-

DIA 110x110 mm. H 160 mm.



E27x1 Max. 60W
Sand black

IP 54



Fixed
Aluminium Body
Clear glass cover



DOWNLIGHT



DIA 85 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 44



Fixed
Frosted glass cover

LUCENT

600.-

DIA 85 mm. H 45 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 65



Fixed
Aluminium Body
Clear glass cover



HOWELL

1000.-

DIA 100 mm. H 65 mm.



GX53 Max. 50W
Sand black

IP 54



Fixed
Aluminium Body
Frosted glass cover

DOWNLIGHT



NANO-R

2150.-

DIA 90 mm. H 77 mm.



LED COB 10W 843lm
3000K, 4000K
Matt white trim



IP 65

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

NANO-S

2150.-

DIA 90x90 mm. H 77 mm.



LED COB 10W 843lm
3000K, 4000K
Matt white trim



IP 65

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



DOWNLIGHT



ROBO 3W

1200.-

DIA 40 mm. H 65 mm.



CREE CHIP LED 3W 255lm



3000K, 4000K

Matt white/ matt black

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

VEX 1W

800.-

DIA 25 mm. H 30 mm.



CREE CHIP LED 1W 105lm



3000K, 4000K

Matt white trim

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



NOX 1W

800.-

DIA 40 mm. H 34.5 mm.



CREE CHIP LED 1W 105lm



3000K, 4000K

Matt white trim

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



DOWNLIGHT



TITAN-S 10W

1800.-

DIA 90 mm. H 92 mm.



LED COB 10W 755lm



3000K, 4000K

Matt white/ Matt black trim

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

TITAN-M 20W

2150.-

DIA 106 mm. H 98 mm.



CREE CHIP LED 20W 1455lm



3000K, 4000K

Matt white/ Matt black trim

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



DOWNLIGHT



BRUNO

2000.-

DIA 92 mm. H 100 mm.



LED COB 15W 1350lm



3000K, 4000K

Matt white/ matt black

IP 65



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

REEL

2400.-

DIA 115 mm. H 135 mm.



LED COB 20W 1890lm



3000K, 4000K

Matt white/ matt black

IP 65



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



DOWNLIGHT



KERRI-B

1100.-

DIA 58 mm. H 92 mm.



GU10x1 Max. 50W
Sand black/ sand white

IP 54

- Adjustable
Aluminium Body
Clear glass cover

NINA

1500.-

DIA 57 mm. L 123 mm.



GU10x1 Max. 50W
Sand black/ sand white

IP 54

- Adjustable
Aluminium Body
Frosted glass cover



NEW



90°

SWIVEL

2250.-

DIA 60 mm. L 90 mm.



GU10x1 Max. 50W
Sand black

IP 65

- Adjustable
Aluminium Body
Clear glass cover

DOWNLIGHT



JACEY-R

1800.-


DIA 275 mm. D 80 mm.



2x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



JACEY-S

1800.-


DIA 270x270 mm D 80 mm.



2x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



DOWNLIGHT

The background features a vertical gradient from light yellow at the top to dark green at the bottom. A faint grid of thin lines is overlaid on this gradient. In the lower half, several diagonal bands of varying shades of green cut across the grid from the bottom-left towards the top-right.

UNDERATER LIGHT

RUW-3WW

3150.-

DIA 50 mm. H 56 mm.



24Vdc 3W 264lm

24° 3000K

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1m.
Box size Dia 62mm. H 95mm.

RUW-10WW

4950.-

DIA 95 mm. H 80 mm.



24Vdc 10W 912lm

23° 3000K

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1m.
Box size Dia 84mm. H 113mm.



UNDERWATER



RUW-6WW

4500.-

DIA 120 mm. H 64 mm.



24Vdc 6W 528lm

30° 3000K

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1m.
Box size Dia 125mm. H 113mm.

RUW-9RGB

6000.-

DIA 120 mm. H 64 mm.



24Vdc 3x3W 266lm

40° RGB Color change

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Use with RGB controller
Wire 1m.
Box size Dia 125mm. H 113mm.



UNDERWATER



RUW-14WW

7000.-

DIA 150 mm. H 113 mm.



24Vdc 7x2W 812lm

30° 3000K

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1.5m.
Box size Dia 150mm. H 113mm.

RUW-24WW

9500.-

DIA 180 mm. H 113 mm.



24Vdc 12x2W 1410lm

30° 3000K

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1.5m.
Box size Dia 180mm. H 113mm.



UNDERWATER

SUW-3WW

3500.-

DIA 49.5 mm. H 50 mm.



24Vdc 3W 264lm

40° 3000K

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1.5m.

SUW-7WW

4350.-

DIA 80 mm. H 97 mm.



24Vdc 7W 616lm

23° 3000K

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1.5m.



UNDERWATER



ATLANTIS

3950.-

DIA: 90 mm. H: 82 mm.



LED MR16x1
Use 12V only

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 12Vdc switching power supply
Wire 5m.

LIPO

4000.-

DIA: 96 mm. H: 58 mm.



24Vdc 3W 264lm

36° 3000K

IP 68

- Stainless steel SUS304
Tempered glass cover
Use with 24Vdc switching power supply
Wire 3m.




UNDERWATER

SUW015

4200.-

DIA 101 mm. H 123 mm.



LED MR16x1
Use 12V only

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 12Vdc switching power supply
Wire 3m.

SUB015

4050.-

DIA 75 mm. H 74 mm.



LED MR16x1
Use 12V only

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 12Vdc switching power supply
Wire 3m.



UNDERWATER